

Erst- und Letztautorenschaften

Originalarbeiten

Bluecher A, Meyer Dos Santos S, Ferreirós N, Labocha S, Meyer Dos Santos IM, Picard-Willems B, Harder S, **Singer OC**. Microfluidic coagulation assay for monitoring anticoagulant therapy in acute stroke patients.

Thromb Haemost. 2017 Jan 26. doi: 10.1160/TH16-08-0619.

Singer OC

Hemikraniektomie beim älteren Menschen. Contra

Nervenarzt. 2015 Dec;86(12):1570-1.

Singer OC, Berkefeld J, Nolte CH, Bohner G, Reich A, Wiesmann M, Groeschel K, Boor S, Neumann-Haefelin T, Hofmann E, Stoll A, Bormann A, Liebeskind DS. Collateral vessels in proximal middle cerebral artery occlusion: the ENDOSTROKE study.

Radiology. 2015 Mar;274(3):851-8.

Singer OC, Berkefeld J, Nolte CH, Bohner G, Haring HP, Trenkler J, Gröschel K, Müller-Forell W, Niederkorn K, Deutschmann H, Neumann-Haefelin T, Hohmann C, Bussmeyer M, Mpotsaris A, Stoll A, Bormann A, Brenck J, Schlamann MU, Jander S, Turowski B, Petzold GC, Urbach H, Liebeskind DS; ENDOSTROKE Study Group. Mechanical recanalization in basilar artery occlusion: the ENDOSTROKE study.

Ann Neurol. 2015 Mar;77(3):415-24.

Bauer S, Wagner M, Seiler A, Hattingen E, Deichmann R, Nöth U, **Singer OC**.

Quantitative T2'-mapping in acute ischemic stroke.

Stroke. 2014 Nov;45(11):3280-6.

Somasundaram S, Henke C, Neumann-Haefelin T, Isenmann S, Hattingen E, Lorenz MW, **Singer OC**. Dysphagia risk assessment in acute left-hemispheric middle cerebral artery stroke. *Cerebrovasc Dis.* 2014;37:217-22.

Singer OC, Haring H-P, Trenkler J, Nolte CH, Bohner G, Reich A, Wiesmann M, Bussmeyer M, Mpotsaris A, Neumann-Haefelin T, Hohmann C, Niederkorn K, Deutschmann H, Stoll A, Bormann A, Jander S, Turowski B, Brenck J, Schlamann MU, Petzold GC,

Urbach H, Liebeskind D, Berkefeld J for the ENDOSTROKE Study Group. Age-Dependency of Successful Recanalization in Anterior Circulation Stroke: The ENDOSTROKE study. *Cerebrovasc Dis.* 2013;36:437-445.

Singer OC, Haring H-P, Trenkler J, Nolte CH, Bohner G, Neumann-Haefelin T, Hofmann E, Reich A, Wiesmann M, Niederkorn K, Deutschmann H, Bussmeyer M, Mpotsaris A, Stoll A, Bormann A, Petzold GC Urbach H, Jander S, Turowski B, Weimar C, Schlamann M, Gröschel K, Boor S, Berkefeld J for the ENDOSTROKE Study Group. Periprocedural Aspects in Mechanical Recanalization for Acute Stroke: Data from the ENDOSTROKE-Registry. *Neuroradiology.* 2013, 55:1143-51.

Seiler A, Jurcoane A, Magerkurth J, Wagner M, Hattingen E, Deichmann R, Neumann-Haefelin T, **Singer OC**. T2' imaging within perfusion-restricted tissue in high-grade occlusive carotid disease. *Stroke.* 2012;43:1831-6

Singer OC, Melber J, Hattingen E, Jurcoane A, Keil F, Neumann-Haefelin T, Klein JC. MR volumetric changes after diagnostic CSF removal in normal pressure hydrocephalus. *Journal of Neurology.* 2012;259:2440-6

Singer OC, Hamann GF, Misselwitz B, Steinmetz H, Foerch C. Time trends in systemic thrombolysis in a large hospital-based stroke registry. *Cerebrovasc Dis.* 2012;33:316-21

Becktepe JS, You SJ, Berkefeld J, Neumann-Haefelin T, **Singer OC**. Clinical outcome after mechanical recanalization as mono- or adjunctive therapy in acute stroke: importance of time to recanalization. *Cerebrovasc Dis.* 2011;32:211-8

Hattingen E, Jurcoane A, Melber J, Blasel S, Zanella FE, Neumann-Haefelin T, **Singer OC**. Diffusion tensor imaging in patients with adult chronic idiopathic hydrocephalus. *Neurosurgery.* 2010;66:917-924

Singer OC, Kurre W, Humpich MC, Lorenz MW, Kastrup A, Liebeskind DS, Thomalla G, Fiehler J, Berkefeld J, Neumann-Haefelin T. Risk assessment of symptomatic intracerebral hemorrhage after thrombolysis using DWI-ASPECTS. *Stroke.* 2009;40:2743-2748

Singer OC, Berkefeld J, Lorenz MW, Fiehler J, Albers GW, Lansberg MG, Kastrup A, Rovira A, Liebeskind DS, Gass A, Rosso C, Derex L, Kim JS, Neumann-Haefelin T. Risk of symptomatic intracerebral hemorrhage in patients treated with intra-arterial thrombolysis.

Cerebrovasc Dis. 2009;27:368-374

Singer OC, Humpich MC, Fiehler J, Albers GW, Lansberg MG, Kastrup A, Rovira A, Liebeskind DS, Gass A, Rosso C, Derex L, Kim JS, Neumann-Haefelin T. Risk for symptomatic intracerebral hemorrhage after thrombolysis assessed by Diffusion-Weighted Magnetic Resonance Imaging. *Ann Neurol.* 2008;63:52-60

Singer OC, Humpich MC, Lanfermann H, Neumann-Haefelin T. Yawning in acute anterior circulation stroke. *J Neurol Neurosurg Psychiatry.* 2007;78:1253-1254

Singer OC, Humpich MC, Laufs H, Lanfermann H, Steinmetz H, Neumann-Haefelin T. Conjugate eye deviation in acute stroke. Incidence, hemispheric asymmetry, and lesion pattern. *Stroke.* 2006;37:2726-32

Singer OC, Dvorak F, du Mesnil de Rochemont R, Lanfermann H, Sitzer M, Neumann-Haefelin T. A simple 3-item stroke scale: Comparison with the national institutes of health stroke scale and prediction of middle cerebral artery occlusion. *Stroke.* 2005;36:773-776

Singer OC, Du Mesnil De Rochemont R, Foerch C, Stengel A, Sitzer M, Lanfermann H, Neumann-Haefelin T. Early functional recovery and the fate of the diffusion/perfusion mismatch in patients with proximal middle cerebral artery occlusion. *Cerebrovasc Dis.* 2004;17:13-20

Singer OC, Sitzer M, du Mesnil de Rochemont R, Neumann-Haefelin T. Practical limitations of acute stroke MRI due to patient-related problems. *Neurology.* 2004;62:1848-1849

Singer OC, de Rochemont Rdu M, Foerch C, Stengel A, Lanfermann H, Sitzer M, Neumann-Haefelin T. Relation between relative cerebral blood flow, relative cerebral blood volume, and mean transit time in patients with acute ischemic stroke determined by perfusion-weighted MRI. *J Cereb Blood Flow Metab.* 2003;23:605-611

Fallberichte

Fischer S, von Stuckrad-Barre S, **Singer OC**. Room tilt illusion: Wenn die Welt auf einmal Kopf steht. *Nervenarzt.* 2014 Apr;85(4):471-3.

Singer OC, Conrad F, Jahnke K, Hattingen E, Auer H, Steinmetz H. Severe meningoencephalomyelitis due to CNS-Toxocarosis. *Journal of Neurology.* 2011;258:696-8

Pfeilschifter W, Neumann-Haefelin T, Hattingen E, Singer OC . Kortikale Venenthrombose nach diagnostischer Liquorpunktion. <i>Nervenarzt</i> . 2009;80:1219-1221
Singer OC , Otto B, Steinmetz H, Ziemann U. Acute neuropathy with multiple conduction blocks after TNF alpha monoclonal antibody therapy. <i>Neurology</i> . 2004;63:1754
Übersichtsartikel
Singer OC , Fiehler J, Berkefeld J, Neumann-Haefelin T. Schlaganfall-MRT zur Abschätzung des Blutungsrisikos bei thrombolytischer Therapie. <i>Nervenarzt</i> . 2009;80:130, 132-136
Editorials
Singer OC , Neumann-Haefelin T, Hacke W. Multimodale Schlaganfallbildgebung - ein Update. <i>Nervenarzt</i> . 2009;80:117-118
Buchkapitel
Gass A, Singer OC , Wirkungen von Alkohol und Tabak auf das zentrale und periphere Nervensystem in <i>Alkohol und Tabak. Grundlagen und Folgeerkrankungen</i> . Herausgeber: Singer MV, Batra A, Mann, K. Thieme-Verlag, 2010 ISBN: 9783131466716
Coautorschaften
Originalarbeiten
Pfeilschifter W, Farahmand D, Niemann D, Ikenberg B, Hohmann C, Abruscato M, Thonke S, Strzelczyk A, Hedtmann G, Neumann-Haefelin T, Kollmar R, Singer OC , Ferbert A, Steiner T, Steinmetz H, Reihls A, Misselwitz B, Foerch C. Estimating the Quantitative Demand of NOAC Antidote Doses on Stroke Units. <i>Cerebrovasc Dis</i> . 2016;42(5-6):415-420.
Seiler A, Deichmann R, Pfeilschifter W, Hattingen E, Singer OC , Wagner M. T2-Imaging to Assess Cerebral Oxygen Extraction Fraction in Carotid Occlusive Disease: Influence of Cerebral Autoregulation and Cerebral Blood Volume. <i>PLoS One</i> . 2016 Aug 25;11(8):e0161408.
Albers GW, Goyal M, Jahan R, Bonafe A, Diener HC, Levy EI, Pereira VM, Cognard C, Cohen DJ, Hacke W, Jansen O, Jovin TG, Mattle HP, Nogueira RG, Siddiqui AH, Yavagal DR, Baxter BW, Devlin TG, Lopes DK, Reddy VK, de Rochemont Rdu M, Singer OC ,

Bammer R, Saver JL. Ischemic core and hypoperfusion volumes predict infarct size in SWIFT PRIME. *Ann Neurol.* 2016 Jan;79(1):76-89.

Moll J, Meyer dos Santos S, Hils B, Dornuf F, Meyer dos Santos IR, **Singer OC**, Ferreirós N, Labocha S, Blücher A, Harder S, Krozer V. Micro-optical prototyping of a surface acoustic wave-based point-of-care coagulation assay and first application in anticoagulated patients. *Int J Clin Pharmacol Ther.* 2016 Mar;54(3):177-84.

Saver JL, Goyal M, Bonafe A, Diener HC, Levy EI, Pereira VM, Albers GW, Cognard C, Cohen DJ, Hacke W, Jansen O, Jovin TG, Mattle HP, Nogueira RG, Siddiqui AH, Yavagal DR, Baxter BW, Devlin TG, Lopes DK, Reddy VK, du Mesnil de Rochemont R, **Singer OC**, Jahan R; SWIFT PRIME Investigators.. Stent-retriever thrombectomy after intravenous t-PA vs. t-PA alone in stroke. *N Engl J Med.* 2015 Jun 11;372(24):2285-95.

Zöllner JP, Hattingen E, **Singer OC**, Pilatus U. Changes of pH and energy state in subacute human ischemia assessed by multinuclear magnetic resonance spectroscopy. *Stroke.* 2015 Feb;46(2):441-6.

Lescher S, Czeppan K, Porto L, **Singer OC**, Berkefeld J. Acute stroke and obstruction of the extracranial carotid artery combined with intracranial tandem occlusion: results of interventional revascularization. *Cardiovasc Intervent Radiol.* 2015 Apr;38(2):304-13.

Fazekas F, Enzinger C, Schmidt R, Grittner U, Giese AK, Hennerici MG, Huber R, Jungehulsing GJ, Kaps M, Kessler C, Martus P, Putaala J, Ropele S, Tanislav C, Tatlisumak T, Thijs V, von Sarnowski B, Norrving B, Rolfs A; SIFAP 1 Investigators. Brain magnetic resonance imaging findings fail to suspect Fabry disease in young patients with an acute cerebrovascular event. *Stroke.* 2015 Jun;46(6):1548-53.

Wagner M, Helfrich M, Volz S, Magerkurth J, Blasel S, Porto L, **Singer OC**, Deichmann R, Jurcoane A, Hattingen E. Quantitative T2, T2*, and T2' MR imaging in patients with ischemic leukoaraiosis might detect microstructural changes and cortical hypoxia. *Neuroradiology.* 2015 Oct;57(10):1023-30.

Beck C, Krutzelmann A, Forkert ND, Juettler E, **Singer OC**, Köhrmann M, Kersten JF, Sobesky J, Gerloff C, Fiehler J, Schellinger PD, Röther J, Thomalla G. A simple brain atrophy measure improves the prediction of malignant middle cerebral artery infarction by acute DWI lesion volume. *J Neurol.* 2014 Jun;261(6):1097-103.

Platz J, Berkefeld J, **Singer OC**, Wolff R, Seifert V, Konczalla J, Güresir E. Frequency, risk of hemorrhage and treatment considerations for cerebral arteriovenous malformations with associated aneurysms. *Acta Neurochir (Wien)*. 2014 Nov;156(11):2025-34.

Schröder J, Cheng B, Ebinger M, Köhrmann M, Wu O, Kang DW, Liebeskind DS, Tourdias T, **Singer OC**, Christensen S, Campbell B, Luby M, Warach S, Fiehler J, Fiebach JB, Gerloff C, Thomalla G; STIR and VISTA Imaging Investigators. Validity of acute stroke lesion volume estimation by diffusion-weighted imaging-Alberta Stroke Program Early Computed Tomographic Score depends on lesion location in 496 patients with middle cerebral artery stroke. *Stroke*. 2014 Dec;45(12):3583-8.

Jurcoane A, Keil F, Szelenyi A, Pfeilschifter W, **Singer OC**, Hattingen E. Directional diffusion of corticospinal tract supports therapy decisions in idiopathic normal-pressure hydrocephalus. *Neuroradiology*. 2014; 56:5-13

Kruetzelmann A, Hartmann F, Beck C, Juettler E, **Singer OC**, Köhrmann M, Kersten JF, Sobesky J, Gerloff C, Villringer A, Fiehler J, Neumann-Haefelin T, Schellinger PD, Röther J, Thomalla G; Clinical Trial Net of the German Competence Network Stroke. Combining magnetic resonance imaging within six-hours of symptom onset with clinical follow-up at 24 h improves prediction of `malignant` middle cerebral artery infarction. *Int J Stroke*. 2014;9:210-4

Wagner M, Kyriakou Y, du Mesnil de Rochemont R, **Singer OC**, Berkefeld J. Does Preinterventional Flat-Panel Computer Tomography Pooled Blood Volume Mapping Predict Final Infarct Volume After Mechanical Thrombectomy in Acute Cerebral Artery Occlusion? *Cardiovascular and Interventional Radiology*. 2013;36:1132-8

Schuss P, Borger V, Vatter H, **Singer OC**, Seifert V, Guresir E. Antiplatelet therapy, but not intravenous thrombolytic therapy, is associated with postoperative bleeding complications after decompressive craniectomy for stroke. *Journal of Neurology*. 2013; 260:2149-55.

Cheng B, Brinkmann M, Forkert ND, Treszl A, Ebinger M, Köhrmann M, Wu O, Kang DW, Liebeskind DS, Tourdias T, **Singer OC**, Christensen S, Luby M, Warach S, Fiehler J, Fiebach JB, Gerloff C, Thomalla G. Quantitative measurements of relative fluid-attenuated inversion recovery (FLAIR) signal intensities in acute stroke for the prediction of time from symptom onset. *Journal of Cerebral Blood Flow and Metabolism*. 2013;33:76-84

Wagner M, Magerkurth J, Volz S, Jurcoane A, **Singer OC**, Neumann-Haefelin T, Zanella FE, Deichmann R, Hattingen E. T2'- and PASL-based perfusion mapping at 3 Tesla: influence of oxygen-ventilation on cerebral autoregulation. *Journal of Magnetic Resonance Imaging*. 2012;36:1347-52

Wagner M, Jurcoane A, Volz S, Magerkurth J, Zanella FE, Neumann-Haefelin T, Deichmann R, **Singer OC**, Hattingen E. Age-related changes of cerebral autoregulation: new insights with quantitative T2'-mapping and pulsed arterial spin-labeling MR imaging. *American Journal of Neuroradiology*. 2012;33:2081-7

Cheng B, Ebinger M, Kufner A, Kohrmann M, Wu O, Kang DW, Liebeskind D, Tourdias T, **Singer OC**, Christensen S, Warach S, Luby M, Fiebach JB, Fiehler J, Gerloff C, Thomalla G. Hyperintense vessels on acute stroke fluid-attenuated inversion recovery imaging: associations with clinical and other MRI findings. *Stroke*. 2012;43:2957-61

Thomalla G, Cheng B, Ebinger M, Hao Q, Tourdias T, Wu O, Kim JS, Breuer L, **Singer OC**, Warach S, Christensen S, Treszl A, Forkert ND, Galinovic I, Rosenkranz M, Engelhorn T, Kohrmann M, Endres M, Kang DW, Dousset V, Sorensen AG, Liebeskind DS, Fiebach JB, Fiehler J, Gerloff C. DWI-FLAIR mismatch for the identification of patients with acute ischaemic stroke within 4.5 h of symptom onset (PRE-FLAIR): a multicentre observational study. *Lancet Neurology*. 2011;10:978-86

Audebert HJ, **Singer OC**, Gotzler B, Vatankhah B, Boy S, Fiehler J, Lansberg MG, Albers GW, Kastrup A, Rovira A, Gass A, Rosso C, Derex L, Kim JS, Heuschmann P. Postthrombolysis hemorrhage risk is affected by stroke assessment bias between hemispheres. *Neurology*. 2011;76:629-36

Thomalla G, Hartmann F, Juettler E, **Singer OC**, Lehnhardt FG, Köhrmann M, Kersten JF, Krützelmann A, Humpich MC, Sobesky J, Gerloff C, Villringer A, Fiehler J, Neumann-Haefelin T, Schellinger PD, Röther J; Clinical Trial Net of the German Competence Network Stroke. Prediction of malignant middle cerebral artery infarction by magnetic resonance imaging within 6 hours of symptom onset: A prospective multicenter observational study. *Ann Neurol*. 2010; 68:435-45

ACES Investigators. The Asymptomatic Carotid Emboli Study: Study design and baseline results. *Int J Stroke*. 2009;4:398-405

Schellinger PD, Thomalla G, Fiehler J, Kohrmann M, Molina CA, Neumann-Haefelin T, Ribo M, Singer OC , Zaro-Weber O, Sobesky J. MRI-based and CT-based thrombolytic therapy in acute stroke within and beyond established time windows: An analysis of 1210 patients. <i>Stroke</i> . 2007;38:2640-2645
Wahl M, Lauterbach-Soon B, Hattingen E, Jung P, Singer O , Volz S, Klein JC, Steinmetz H, Ziemann U. Human motor corpus callosum: Topography, somatotopy, and link between microstructure and function. <i>J Neurosci</i> . 2007;27:12132-12138
Humpich M, Singer OC , du Mesnil de Rochemont R, Foerch C, Lanfermann H, Neumann-Haefelin T. Effect of early and delayed recanalization on infarct pattern in proximal middle cerebral artery occlusion. <i>Cerebrovasc Dis</i> . 2006;22:51-56
du Mesnil de Rochemont R, Berkefeld J, Buchkremer M, Arndt H, Neumann-Haefelin T, Singer O , Steinmetz H, Zanella F, Sitzer M. Langzeitergebnisse nach Behandlung intrakranieller vertebrobasilärer Stenosen mit Stents. <i>Fortschr. Röntgenstr</i> . 2006;178:96-102
Foerch C, Singer OC , Neumann-Haefelin T, du Mesnil de Rochemont R, Steinmetz H, Sitzer M. Evaluation of serum s100b as a surrogate marker for long-term outcome and infarct volume in acute middle cerebral artery infarction. <i>Arch Neurol</i> . 2005;62:1130-1134
Neumann-Haefelin T, du Mesnil de Rochemont R, Fiebich JB, Gass A, Nolte C, Kucinski T, Rother J, Siebler M, Singer OC , Szabo K, Villringer A, Schellinger PD. Effect of incomplete (spontaneous and postthrombolytic) recanalization after middle cerebral artery occlusion: A magnetic resonance imaging study. <i>Stroke</i> . 2004;35:109-114
Foerch C, Otto B, Singer OC , Neumann-Haefelin T, Yan B, Berkefeld J, Steinmetz H, Sitzer M. Serum s100b predicts a malignant course of infarction in patients with acute middle cerebral artery occlusion. <i>Stroke</i> . 2004;35:2160-2164
Stengel A, Neumann-Haefelin T, Singer OC , Neumann-Haefelin C, Zanella FE, Lanfermann H, Pilatus U. Multiple spin-echo spectroscopic imaging for rapid quantitative assessment of n-acetylaspartate and lactate in acute stroke. <i>Magn Reson Med</i> . 2004;52:228-238
Foerch C, du Mesnil de Rochemont R, Singer O , Neumann-Haefelin T, Buchkremer M,

Zanella FE, Steinmetz H, Sitzer M. S100b as a surrogate marker for successful clot lysis in hyperacute middle cerebral artery occlusion. *J Neurol Neurosurg Psychiatry*. 2003;74:322-325

Zweigner J, Gramm HJ, **Singer OC**, Wegscheider K, Schumann RR. High concentrations of lipopolysaccharide-binding protein in serum of patients with severe sepsis or septic shock inhibit the lipopolysaccharide response in human monocytes. *Blood*. 2001;98:3800-3808

Fallberichte

Bothe AM, Berkefeld J, **Singer OC**, Foerch C, Hattingen E. Intracranial Hypotension as an Important Differential Diagnosis of Deep Brain Swelling: A Case Report. *Clinical Neuroradiology*. 2013 (epub ahead of print)

van de Loo S, Somasundaram S, Wagner M, **Singer OC**, Steinmetz H, Hilker R. Dysphagia in symptomatic palatal tremor. *Mov Disord*. 2010;25:1304-5